

BA

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
21 May 2004 (21.05.2004)

PCT

(10) International Publication Number
WO 2004/043029 A2

(51) International Patent Classification⁷: **H04L 29/00**

(21) International Application Number:
PCT/IE2003/000152

(22) International Filing Date:
10 November 2003 (10.11.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2002/0870 8 November 2002 (08.11.2002) IE

(71) Applicant (for all designated States except US): **ALIOPE LIMITED** [—/—]; The Invent Centre, Dublin City University, Collins Avenue, Glasnevin, Dublin 9 (IE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SMEATON, Alan** [IE/IE]; 9 Millview Lawn, Malahide, County Dublin (IE). **MARLOW, Sean** [IE/IE]; 90 Willow Park Road, Dublin 11 (IE). **MURPHY, Noel** [IE/IE]; Ballinakill, Enfield,

County Meath (IE). **O'CONNOR, Noel** [IE/IE]; 3 Burnside, Magenta Crescent, Dublin 9 (IE). **McDONALD, Kieran** [IE/IE]; 4 Millview Close, Malahide, County Dublin (IE). **LEE, Hyowon** [KR/IE]; Room VA303 B, Campus Residences, Dublin City University, Glasnevin, Dublin 9 (IE). **HERRERA, Frederic** [CA/IE]; 21 Delhurst Avenue, Ongar Park, Ongar, Dublin 15 (IE). **BROWNE, Paul** [IE/IE]; 14 Walnut Lawn, Courtlands Estate, Dublin 9 (IE). **POLLARD, Sheila** [IE/IE]; 172 Lower Kilmacud Road, Dublin 12 (IE).


(74) Agents: **O'BRIEN, John, A.** et al.; John A O'Brien & Associates, Third floor, Duncairn House, 14 Carysfort Avenue, Blackrock, County Dublin (IE).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),

[Continued on next page]

(54) Title: MULTIMEDIA MANAGEMENT



(57) Abstract: A multimedia management system (1) receives live stream content at an interface (5) or static content (6) and captures (7) it to a storage device (10). An analysis component (11) in parallel or in series generates meta data for a database (12), the meta data acting as an index for the storage device (10). Automatic detection of events by the analysis component (11) allows provision of real time distribution of content such as news clips to fixed and mobile networks (MS). Near real time media services are also provided with some annotations being performed by an annotation component (14) under control of a browser (13).

WO 2004/043029 A2



Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE,
SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *without international search report and to be republished upon receipt of that report*

- 1 -

“Multimedia Management”INTRODUCTION5 Field of the Invention

The invention relates to management of multimedia such as digitised audio-visual content.

10 Prior Art Discussion

In recent years advances have been made in the field of distribution of multimedia in mobile networks. For example the Multimedia Messaging Service (MMS) standard for mobile networks specifies peer-to-peer multimedia messaging. United States
15 Patent Application No. US200205/442 describes a method of transmitting/receiving a broadcast message in a mobile network.

Also, advances have been made in processing of multimedia in various aspects, such as indexing and browsing. For example, the paper “Físchlár: an on-line system for
20 indexing and browsing broadcast television”, O'Connor N, Marlow S, Murphy N, Smeaton A, Browne P, Deasy S, Lee H and Mc Donald K. *ICASSP 2001 - International Conference on Acoustics, Speech, and Signal Processing*. Salt Lake City, UT, 7-11 May 2001., describes indexing and browsing. Television programmes are captured in MPEG-1 format and analysed using video indexing tools. Browsing
25 interfaces allow a user to browse a visual index to locate content of interest, and selected content can then be streamed in real time.

While these developments are of benefit, there is still a need to provide more comprehensive multimedia asset management to support content-based operations
30 for a broader range of devices and access mechanisms.

- 2 -

SUMMARY OF THE INVENTION

According to the invention, there is provided a multimedia management system
5 comprising:

- a multimedia content capture component for receiving content and for writing it to a storage device;
- 10 an analysis component for analysing received content to generate meta data, and a database for storing the meta data;
- a server component for distributing content or meta data to a network for delivery to subscriber devices; and
- 15 a controller for coordinating operation of the components of the system to provide configured services for delivery of content to subscriber devices.

In one embodiment, the analysis component generates the meta data as an index to
20 the content in the storage device and the server uses the meta data to access the content.

In another embodiment, the analysis component extracts key frames from received video content and segments audio and video streams.

25 In a further embodiment, said key frames are stored to provide a storyboard of video content with images forming part of an index.

- 3 -

In one embodiment, the analysis component operates in parallel with capture of content by the capture component for analysis in real time as a video content stream is being received.

- 5 In another embodiment, the analysis component uses a shot boundary detection technique to generate the meta data.

In a further embodiment, the analysis component automatically detects events in incoming content and generates notifications in real time.

10

In one embodiment, the controller receives the notifications and automatically controls components of the system to generate a content output triggered by the detected event.

- 15 In another embodiment, the notification is an alert message transmitted to a mobile station.

In a further embodiment, the system further comprises an annotation component for annotating content and directing storage of annotated content in the storage device.

20

In one embodiment, the annotation component operates in near real time.

In another embodiment, the controller directs output via the server of content in near real time to provide a subscriber service.

25

In a further embodiment, the system further comprises a browser connected to the storage device and to the database, the browser allowing supervisor access to content to control processing of the content.

- 4 -

In one embodiment, the browser is connected to the annotation component and directs operation of the annotation component to provide processed content in the near real-time service.

- 5 In another embodiment, the system further comprises a transcoding component connected to the browser and being for transcoding of content for delivery to the analysis component and to the storage device.

- 10 In a further embodiment, the controller directs routing of meta data from the database to a plurality of different devices, including local devices directly connected to the controller and remote subscriber devices.

In one embodiment, the analysis component writes some of the meta data to the storage devices to provide an addressing index.

15

In another embodiment, the controller uses meta data solely from the database for directing content to some subscriber devices.

- 20 In a further embodiment, the controller dynamically generates media interfaces with style sheet transformation, in which style sheets dynamically transform the media and code into user-viewable media and display code.

In one embodiment, the transformation performs independent processing of screen windows in a manner analogous to application or operating system display windows.

25

In another embodiment, the style sheet transformation code is separate from underlying functionality of the controller and other components involved in media output.

- 5 -

In a further embodiment, the system further comprises a live streaming interface connected to the content capture component.

5 In one embodiment, the system further comprises a scheduling component connected to the live stream circuit for activating the live stream circuit and setting recording parameters for both the live stream circuit and the capture component.

DETAILED DESCRIPTION OF THE INVENTION

10 Brief Description of the Drawings

The invention will be more clearly understood from the following description of some embodiments thereof, given by way of example only with reference to the accompanying drawings in which:-

15

Fig. 1 is a block diagram of a multimedia management system of the invention.

Fig. 2 is a diagram showing interfacing modes; and

20

Fig. 3 is a diagram illustrating media analysis, generation of meta-data, and presentation for content-based operations such as access, retrieval, sharing consumption.

25 Description of the Embodiments

Referring to Fig. 1 a multimedia management system 1 of the invention comprises a controller 2 which controls in a comprehensive manner various multimedia processing components to provide a variety of services. These components are as
30 follows.

- 6 -

- 5: A live stream interface for receiving broadcast digital TV channels.
- 6: A reader device for reading multimedia content from a static, non-live source
5 such as DVDs.
- 7: A capture circuit for encoding and compressing content to a format such as MPEG.
- 10 10: A content storage device for storing the encoded and compressed content files together with related meta data. The latter includes images, hyperlinks, log files for data such as start/end time of capture, programme meta-data, user account information, user preferences, copyright information, number of key frames extracted, file size, and channel meta data. Some of the meta data is generated
15 by the capture circuit 7, and the remainder by an analysis component 11.
- 11: An analysis component 11 which extracts representative meta-data such as key frames, audio, text, from compressed audio-visual content. Extracted meta-data is encoded in formats and resolutions (for example JPEG, GIF, MPEG) of any
20 size that can be displayed, selected, and interacted with. The analysis component 11 both extracts existing meta data, and generates meta data which is stored in the storage device 10. However, it also writes meta data to a database 12, set out below. Additional meta data related to the precision and accuracy of analysis techniques used against audio-visual content is generated by the analysis
25 component 11 using the shot boundary technique to generate colour histogram, edge detection, and motion analysis data.
- 12: A content database for storing all meta data generated by the analysis component 11. Some of the meta data is also stored with the actual content in

- 7 -

the storage device 10, as outlined above. The database 12 stores the meta data in a manner to provide an index for the storage device 10.

- 13: A browser for use by local/remote staff of the organization hosting the system 1.
5 This is used for accessing the content using indexes of the database 12. It activates interfaces for content-based operations (non-linear playback, annotation) accomplished over end-user devices. The browser 13 can also route content to a transcoding component 15.
- 10 14: An annotation component for annotation of stored content under instruction from the browser 13.
- 16: A scheduling component for scheduling operation of the interface 5 for receiving and encoding live streams.
- 15 17: A Web server for routing of content to infrastructure for fixed and mobile networks for onward routing to central/edge servers and end user playback devices.
- 20 The multimedia management processes performed by the system are now described. One of the problems facing operators of communication systems such as mobile network operators is that while there is a vast amount of content available, it has not been possible to manage it so that content owners and aggregators, network operators and end users get optimum use of it. It is not just a matter of coping with
25 the limited communication bandwidths and device capabilities of many user devices, but also syndicating content which end users wish to access.

The system 1 addresses this problem by acting as a platform which takes in the multimedia content and manages it in an optimum manner so that end users can
30 access/receive what they subscribed to. For example, security camera systems

- 8 -

generate a vast quantity of content, however, an end user is only interested in seeing suspicious activity. Thus, the analysis component 11 may automatically monitor live streams from such cameras and generate an alert for the controller 2 if a suspicious image and/or sound pattern is detected. The controller in turn notifies in real time
5 the Web server 17 to retrieve the content meta data and push it onto either the fixed or mobile network to the end user subscriber playback devices. One suitable bearer for such alerts is GSM SMS to mobile devices.

In other situations some human input may be required such as downloading of a
10 video sequence of a breaking news event or a score in a football match. In this case, staff monitor certain content channels and access audio-visual segments in non-linear fashion to achieve content-based operations for seamless syndication, transmission and retrieval over fixed and mobile networks. The content is cropped and rendered to be suitable for transmission to the subscriber's mobile station MS. Such
15 operations can typically be carried out in a few seconds, thus providing a near real-time service to the subscriber.

Fig. 2 illustrates the versatility of the system 1, providing content to a wide variety of devices to present a variety of interfaces. These include a portal interface 20, a
20 search interface 21, a browsing interface 22, a playback interface 23, an annotation interface 24, remote user device browsing/swapping interfaces 25, and a remote user device playback interface 26. This diagram illustrates versatility of the architecture of the system 1. The controller 20 is at the centre allowing interfacing with both staff of the hosting organisation and remote end users in a versatile manner.

25

The controller 2 includes a database of access control data for interfacing with staff. It allows supervisor access to some of the components.

The controller 2 controls automatic deletion of content according to configured
30 parameters.

The analysis component 11 generates the meta data in a manner whereby it forms a content index that is represented using images of video content and meta data referenced to additional related media content. Capture and analysis of content can
5 take place in parallel, thus enabling text, image and video distribution without the need to wait for a programme to end before managing distribution to a mass audience.

The analysis component 2 generates the meta data for some content in the form of
10 storyboards. Live and stored media files are analysed using algorithms processing specific data streams/layers, multiplexed/encapsulated in analogue and standard media compression formats (for example MPEG formats). Each algorithm can be controlled by a dynamic threshold/parameter set to analyse different types of media information (for example video with slow-movement and short cuts compared to
15 video with fast motion and fades). The analysis techniques are used to extract representational content from media files for indexing based on natural breaks or events in the media content. Analysis results derived from files composed of different type of media information (for example news programme with newscaster and news agencies footage) are based on a combination of algorithms in order to generate the
20 most logical representation of programme's content for specific playback devices.

The analysis component 11 analyses whole data streams/formats and media layers by segmenting audio, detecting faces, detecting edges, detecting black frames, and generating colour histograms. The combination of these algorithms detects video
25 frames and video shots that are sequenced in a logical scene if media programmes follow a structure at the time of production.

Referring to Fig. 3, a media file 40 is analysed in step 45 to generate content-based meta-data 46, which is then automatically stored in the storage device 10. The meta-
30 data 46 is retrieved using a style sheet 41 that can be marked-up in representation

- 10 -

languages (for example HTML, CHTML, WML, SMIL and XML languages) useful for static/dynamic representation of media information to media devices (for example PC, PDA, and mobile phone). Dynamic representation of media content provides the basis for progressive download of media information to media devices
5 dependent on progressive and fast retrieval of media information over narrowband networks. Thus, media data is presented or exchanged between users by communicating representational information, meta-data information, and location information rather than communicating the media data itself.

10 The controller 2 acts as an interface between the storage device 10 and the web server 17, the Web browser 13, and a streaming server reading commands from hyperlinks and animated media formats. Such commands are sent over the fixed and mobile network to playback devices. The Web browser 13 is automatically refreshed and mapped against media files, metafiles and meta-data found in the database 12.

15 Requests may be made from subscriber devices to achieve content-based operations. Each content-based operation is completed by connection (circuit switched and/or packet based) to a local media server and/or remote server depending on the availability of bandwidth that the mobile device can connect to and the location of
20 subscriber requesting the content. Media programmes and/or media clips are subsequently and automatically sent over packet-based networks to subscriber devices in synchronised, downloadable or streamable formats that can be played using messaging software, browsers or media decoders developed specifically for the media device.

25 Access to interfaces and media information in the system 1 is monitored at different levels. Content-based operations requested by a subscriber can only be fulfilled after inputting a user ID. Monitored access generates information on usage of the system 1 and the media data content. Such information can be used to improve media
30 distribution on a personalised basis.

- 11 -

Recording functions integrated in the scheduling component 16 provides system users and end users with recording options. Recording requests could be made to the system by clicking on hyperlinked media information such as programme title, and
5 programme meta-data. End users can also rate media programmes in order to receive programme recommendations from the system.

Search interfaces with media highlights in an overview/detail view interface are also generated based upon the meta data. Media sequences are highlighted based on a
10 search query and they can be browsed using a timeline bar in Detail View Media interface.

The system 1 also generates a search interface with a detail view based on text results and slide show media interface enabling system users to narrow down search results
15 using text information (for example closed caption, annotation) tagged to indexed audio-visual content. A search interface for audio-visual information enables system users and end users to search audio-visual information indexed using different analysis techniques. Searches can be applied against different parameters populated by analysis techniques such a face detection, closed caption parsing, and shot
20 detection. Search results are ranked and are based on representative meta-data. An overview media interface implements "overview first, zoom and filter, then details on demand". This interface provides an overview of media files using representative meta-data, thus indicating to the end user what the audio-visual information is about.

25 The system 1 also generates a scroll bar media interface. System users browse media content using a scroll bar that acts as a very versatile controller. Clicking on the arrows of the scroll bar moves the page by each row of representative keyframes, clicking on the empty bar jumps the page by screenful, and dragging the square object provides immediate and continuous movement of representative keyframes
30 thus allowing finer and more pleasant experience.

- 12 -

Another interface is an extension of the overview media interface. This is similar to the overview/detail browser, but allows movement into a detail view. Once in a detail view, a timeline bar is used for immediate system reaction and finer control in browsing. The timeline bar can be static or dynamic. Both types of timeline bars are useful when browsing a large amount of media information because it provides temporal orientation by showing the current point of browsing in relation to the whole media file. Not only useful as a time indicator, the bar in this browser allows random access by selecting related sections of the bar. The interface with the dynamic quick bar capabilities saves tedious and continuous clickings that the static timeline bar browser may require. One sweep of the mouse allows viewing of all of the keyframes in the video. Much finer control and continuous, immediate response from the system provides 'direct manipulation'. The browsing task is less of an 'act-and-react' interaction, and is more natural and paced by the user.

A slide show media interface flips through all representative indexed meta-data in a single slot. Temporally presenting representative meta-data (rather than spatially) saves screen space considerably, and is thus useful for small end user devices. People with more dynamic interaction preference may also like this browser. It is important to provide some form of temporal orientation in this kind of temporal presentation, and in this case timeline bar is used.

A speech annotation interface is useful for typists who, in an off-line mode, have to annotate and synchronise text against audio-visual content. The speech annotation interface is based on the slide show media interface and helps annotate text at specific level of granularity into media files. Annotation against video can be searched and the system can provide audio-visual search results.

- 13 -

Another annotation interface supports portal updates on remote media servers located close to end-users. The audio-visual annotation interface also enables system users to insert rights and user access information.

- 5 A media portal interface for devices with small displays provides an overview of media content available to browse and retrieve on an end user device with small display. Based on standard mark-up languages, this Interface uses media segments as retrieval units, tracking users' access history, thus being able to recommend the most important news stories to the user, in the form of a summarised list. This way, all the
- 10 user has to do is simply select a story from the list - saving awkward text input and other interaction. The idea is putting most of the processing on the system itself, rather than providing elaborate searching/browsing work to the user. Because this interface tracks user interactions, it can generate usability information useful for billing and rating mechanisms.

15

- The server 17 also provides detailed video interfaces for devices with small display. These two interfaces make video browsing similar to video game interactions on small devices. From these interfaces, the user can control the current point of browsing, using the controller/arrows. This allows the user to use only the one hand
- 20 holding the small device. Four arrow buttons are just about all that the user uses to browse representative media (other than another arrow at the bottom left, to bring back to related media information such as listing, related programmes, etc.).

- Playback interfaces represent static and synchronised multimedia messaging that
- 25 plays images, audio and video information in email clients, browsers, and MMS clients on MMS handsets. Receivers and viewers of MMS can interact with the media information to access related information such as related stories in video formats.

- 14 -

The system 1 provides searching capabilities across programme meta-data, meta-data parameters filled by analysis techniques, and captured and referenced closed caption data. Search results are complemented and hyperlinked to visual representation of media programmes to allow users to access media information in a random fashion
5 thus reducing the time to play back specific media segments. Searches can be made from any web browser capable device.

To complement text-based search of media programmes, video skimming and visualisation is achieved by the system 1 to retrieve media information in a non-
10 linear fashion. Information rendered by browsers can be progressively downloaded on a media device for a user to interact with locally or it can be requested on-demand by selecting media information stored remotely. Based on HTML and XML mark-up languages, media browsers are designed to optimise content-based operations for media devices having unique specifications (display, resolution, media format,
15 and/or mark-up language rendering).

The controller 2 controls playback formats, resolutions, quality and method of transmission and monitoring of the playback of a media file. Playback of a media file is supported by streaming server and streaming software, video clients, and
20 browsers that can render proprietary and standard media formats. The management module can control processes leading to playback of media content. Processes such as buffering, progressive download, image and ad removal/insertion can be set to suit user preferences and media device specifications.

25 The system 1 also enables content-based interactions from file formats and streaming clients provided that the management module of the present invention can interface with the API of a streaming server.

The controller 2 generates interfaces from which a system user can automatically
30 access, annotate, format, share and publish media segments to any file or directory.

- 15 -

This method allows distribution of media clips once in multiple formats, over many networks, to multiple devices. Text annotation to media clips are created to be only accessed by authorised users. Annotation of media clips can be accomplished at different levels of granularity of media content – image, advertisement, logical media
5 segment (shots, scenes, story) – to allow for more efficient retrieval at a later stage. Users operating this interface set terms-of-usage for each media file that is made available for content-based operations on local/remote servers. Terms-of-usage can be embedded in transmission delivery formats of each media file in order to track and confirm usage of each media file retrieved.

10

The outputs of media editing can be standard multimedia messaging services based on text, images, and synchronised multimedia presentations. Outputs can also be text, audio and video clips that can be rendered by email clients, MMSCs, browsers, streaming players, and streaming clients.

15

The above interfaces are dynamically generated by XSL transformation. A set of XSL stylesheets are used to take necessary information from the underlying XML data which is generated whenever a web request is done by a client. The generated XML data comes from various sources to collect necessary information and as a
20 result contains all information to display for the user's device in a request of the user's action. XSL stylesheets then transform the data into user-viewable code (HTML, JavaScript, Java Applet and SVG) to render on the web browser and other devices. For the web interfaces with sophisticated features, layers of frames have been used, each frame corresponding to each XSL stylesheet, transforming underlying XML
25 data for that particular frame into presentable format such as HTML. Framed interface allows application-like interaction in which a clicked widget stays on with the effect visible on other parts of the screen, instead of the whole screen refreshing. For simpler interfaces such as for mobile devices, a single XSL stylesheet defines the layout and elements of the screen, thus corresponding to a single underlying XML
30 data generated when requested by the user.

- 16 -

In this way, the XML-based architecture of the system allows easy device-dependent interface implementation using XSL. This also separates the underlying functionality of the system from the interface design, ensuring more user-oriented interface consideration by the designer.

The controller 2 can “push” and/or “pull” media files that have been analysed and indexed onto servers that are closer and more accessible to authorised users of media content.

It will be appreciated that the system 1 acts as the hub around which specific applications can be supported and services provided with a short lead time. The system 1 captures, manages and distributes media information requested by authorised users across retrieval devices. The system allows easy development of services.

The following is a non-exhaustive list of services which may be provided:

- Distributed analysis of media information
- Protected editing of media information
- Face Detection in live and encoded video programmes
- Caching of referenced media information
- Live broadcast & indexing of media content
- Real-time, near real-time, on-demand representation of media information
- Near real-time alerts of media events
- Image matching in live and encoded video programmes
- Face matching in structured video programmes
- Video object detection in live and encoded video programmes
- Video object matching in live and encoded video programmes
- Motion detection in live and encoded video programmes

- 17 -

- File merging
 - Advertisement insertion based on user lists
 - Searching across closed and open caption
 - Searching across image and video features
 - 5 - Personalised media caching
 - Media management for instant messaging
 - Multicasting
 - Video skimming
- 10 Broadcasters transmit a continuous flow of pre-recorded and live television programmes through licensed networks (cable/satellite/terrestrial) and media device (TV/STB). Broadcast models are currently based on physical locations where a TV signal can reach viewers without necessarily identifying them and interesting them. The system 1 provides an effective mechanism to transmit beyond this traditional
- 15 model and reach audiences that are mobile. This is achieved by making time-sensitive broadcast events available shortly after they have occurred and in a format suitable for retrieval across personal media devices.

Archive units of content owners, producers and aggregators like parliaments and

20 broadcasting organisations are in charge of labour intensive operations. Restoration, digitisation, cataloguing, storing, copyright clearance, copying and shipping represent of the main processes that the archive units have to manage before media assets can be available on-demand to internal and external viewers. In order to enable access to archived content, this system enables the archival process to be

25 accomplished over a web browser capable device. It also allows retrieval of copyrighted media information based on catalogued information.

The invention is not limited to the embodiments described but may be varied in construction and detail.

- 18 -

Claims

1. A multimedia management system comprising:
 - 5 a multimedia content capture (7) component for receiving content and for writing it to a storage device (10);
 - an analysis component (11) for analysing received content to generate meta data, and a database (12) for storing the meta data;
 - 10 a server component (17) for distributing content or meta data to a network (MN) for delivery to subscriber devices; and
 - a controller (2) for coordinating operation of the components of the system to provide configured services for delivery of content to subscriber devices (MS).
- 15 2. A system as claimed in claim 1, wherein the analysis component (11) generates the meta data as an index to the content in the storage device (10) and the server (17) uses the meta data to access the content.
- 20 3. A system as claimed in claim 1 or 2, wherein the analysis component (11) extracts key frames from received video content and segments audio and video streams.
- 25 4. A system as claimed in claim 3, wherein said key frames are stored to provide a storyboard of video content with images forming part of an index.
5. A system as claimed in any preceding claim, wherein the analysis component (11) operates in parallel with capture of content by the capture component (7)
30 for analysis in real time as a video content stream is being received.

- 19 -

6. A system as claimed in any preceding claim, wherein the analysis component (11) uses a shot boundary detection technique to generate the meta data.
- 5 7. A system as claimed in any preceding claim, wherein the analysis component (11) automatically detects events in incoming content and generates notifications in real time.
8. A system as claimed in claim 7, wherein the controller (2) receives the
10 notifications and automatically controls components of the system to generate a content output triggered by the detected event.
9. A system as claimed in claim 8, wherein the notification is an alert message transmitted to a mobile station.
- 15 10. A system as claimed in any preceding claim, wherein the system further comprises an annotation component (14) for annotating content and directing storage of annotated content in the storage device (10).
- 20 11. A system as claimed in claim 10, wherein the annotation component (14) operates in near real time.
12. A system as claimed in claim 11, wherein the controller directs output via the server (17) of content in near real time to provide a subscriber service.
- 25 13. A system as claimed in claim 12, further comprising a browser (13) connected to the storage device (10) and to the database (12), the browser allowing supervisor access to content to control processing of the content.

- 20 -

14. A system as claimed in claims 10 to 13, wherein the browser (13) is connected to the annotation component (14) and directs operation of the annotation component to provide processed content in the near real-time service.
- 5 15. A system as claimed in claim 14, further comprising a transcoding component (15) connected to the browser (13) and being for transcoding of content for delivery to the analysis component and to the storage device.
- 10 16. A system as claimed in any preceding claim, wherein the controller directs routing of meta data from the database to a plurality of different devices, including local devices directly connected to the controller and remote subscriber devices.
- 15 17. A system as claimed in claim 16, wherein the analysis component (11) writes some of the meta data to the storage devices to provide an addressing index.
18. A system as claimed in claims 16 or 17, wherein the controller uses meta data solely from the database for directing content to some subscriber devices.
- 20 19. A system as claimed in any preceding claim, wherein the controller dynamically generates media interfaces with style sheet transformation, in which style sheets dynamically transform the media and code into user-viewable media and display code.
- 25 20. A system as claimed in claim 19, wherein the transformation performs independent processing of screen windows in a manner analogous to application or operating system display windows.

- 21 -

21. A system as claimed in claim 19 or 20, wherein the style sheet transformation code is separate from underlying functionality of the controller and other components involved in media output.
- 5 22. A system as claimed in any preceding claim, wherein the system further comprises a live streaming interface connected to the content capture component.
- 10 23. A system as claimed in claim 22, further comprising a scheduling component connected to the live stream circuit for activating the live stream circuit and setting recording parameters for both the live stream circuit and the capture component.
- 15 24. A computer program product comprising software code for performing operations of a multimedia management system of any preceding claim when executing on a digital system.




Fig. 1




Fig. 2




Fig. 3

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
21 May 2004 (21.05.2004)

PCT

(10) International Publication Number
WO 2004/043029 A3

- (51) International Patent Classification⁷: **H04L 29/06**,
G06F 17/30
- (21) International Application Number:
PCT/IE2003/000152
- (22) International Filing Date:
10 November 2003 (10.11.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
2002/0870 8 November 2002 (08.11.2002) IE
- (71) Applicant (for all designated States except US): **ALIOPE LIMITED** [—/—]; The Invent Centre, Dublin City University, Collins Avenue, Glasnevin, Dublin 9 (IE).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **SMEATON, Alan** [IE/IE]; 9 Millview Lawn, Malahide, County Dublin (IE). **MARLOW, Sean** [IE/IE]; 90 Willow Park Road, Dublin 11 (IE). **MURPHY, Noel** [IE/IE]; Ballinakill, Enfield, County Meath (IE). **O'CONNOR, Noel** [IE/IE]; 3 Burnside, Magenta Crescent, Dublin 9 (IE). **McDONALD,**

Kieran [IE/IE]; 4 Millview Close, Malahide, County Dublin (IE). **LEE, Hyowon** [KR/IE]; Room VA303 B, Campus Residences, Dublin City University, Glasnevin, Dublin 9 (IE). **HERRERA, Frederic** [CA/IE]; 21 Delhurst Avenue, Ongar Park, Ongar, Dublin 15 (IE). **BROWNE, Paul** [IE/IE]; 14 Walnut Lawn, Courtlands Estate, Dublin 9 (IE). **POLLARD, Sheila** [IE/IE]; 172 Lower Kilmacud Road, Dublin 12 (IE).


(74) Agents: **O'BRIEN, John, A.** et al.; John A O'Brien & Associates, Third floor, Duncairn House, 14 Carysfort Avenue, Blackrock, County Dublin (IE).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),

[Continued on next page]

(54) Title: MULTIMEDIA MANAGEMENT



(57) Abstract: A multimedia management system (1) receives live stream content at an interface (5) or static content (6) and captures (7) it to a storage device (10). An analysis component (11) in parallel or in series generates meta data for a database (12), the meta data acting as an index for the storage device (10). Automatic detection of events by the analysis component (11) allows provision of real time distribution of content such as news clips to fixed and mobile networks (MS). Near real time media services are also provided with some annotations being performed by an annotation component (14) under control of a browser (13).



European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(88) Date of publication of the international search report:
5 August 2004

Published:

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IE 03/00152

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04L29/06 G06F17/30

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 H04L G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6 166 735 A (PETKOVIC DRAGUTIN ET AL) 26 December 2000 (2000-12-26) column 2, line 49 - column 11, line 9 -----	1-6, 22-24
X	PAUL COTTER, BARRY SMYTH: "PTV: Intelligent Personalised TV Guides" INTERNET, [Online] 2000, XP002271603 Retrieved from the Internet: URL: http://www.changingworlds.com/content/documents/PCotter.pdf [retrieved on 2004-02-24] the whole document ----- -/--	1-6, 22-24

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"Z" document member of the same patent family

Date of the actual completion of the international search

26 February 2004

Date of mailing of the international search report

08. 06. 2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Kalabic, F

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IE 03/00152

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>WO 00/16221 A (MICROSOFT CORP) 23 March 2000 (2000-03-23) page 2, line 18 - page 6, line 18 page 12, line 13 - page 17, line 18 page 21, line 3 - page 23, line 2</p>	1,7-9
A	<p>----- BARRY SMYTH, PAUL COTTER: "A Personalized Television Listings Service" INTERNET, [Online] August 2000 (2000-08), XP002271604 Retrieved from the Internet: URL:http://www-cse.uta.edu/~holder/courses /cse6362/spr03/prepubs/Smyth99.pdf> [retrieved on 2004-02-24] the whole document</p>	1-9, 22-24
A	<p>----- A.F. SMEATON, N. MURPHY, N. E. O'CONNOR: "The Fischlär Digital Video System: A Digital Library of Broadcast TV Programmes" INTERNET, [Online] 24 June 2001 (2001-06-24), - 28 June 2001 (2001-06-28) XP002271605 Retrieved from the Internet: URL:http://www.cdvp.dcu.ie/Papers/JCDL2001 .pdf> [retrieved on 2004-02-25] the whole document</p> <p>-----</p>	1-9, 22-24

INTERNATIONAL SEARCH REPORT

International application No.
PCT/IE 03/00152

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.: 10-15
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
1-9, 22-24

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. claims: 1-9, 22-24

Update

2. claims: 16-18

Routing

3. claims: 19-21

Style sheet

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 10-15

Present claims 10-15 relate to a system defined by reference to a desirable characteristic or property, namely: annotating content and directing storage of annotated content in the storage device wherein the annotation component operates in near real-time.

The claims cover all apparatus having this characteristic or property, whereas the application provides support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for only a very limited number of such system. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the systems by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible. Consequently, the search has been carried out for those parts of the claims which appear to be clear, supported and disclosed, namely those parts relating to the system and computer program product as defined in the claims 1-9 and 22-24

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IE 03/00152

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 6166735	A	26-12-2000	NONE	
WO 0016221	A	23-03-2000	AU 5926099 A	03-04-2000
			AU 5926499 A	03-04-2000
			WO 0016541 A1	23-03-2000
			WO 0016221 A1	23-03-2000
			US 2001042098 A1	15-11-2001
			US 6484156 B1	19-11-2002
			US 2003196164 A1	16-10-2003
US 6026430	A	15-02-2000	AU 6770198 A	20-10-1998
			EP 1019850 A1	19-07-2000
			JP 2002515156 T	21-05-2002
			WO 9843184 A1	01-10-1998
			US 6389450 B1	14-05-2002
			US 6128645 A	03-10-2000
EP 1109371	A	20-06-2001	US 6477529 B1	05-11-2002
			CA 2326875 A1	06-06-2001
			EP 1109371 A2	20-06-2001
US 6317784	B1	13-11-2001	AU 6389799 A	17-04-2000
			US 2002073179 A1	13-06-2002
			WO 0019662 A1	06-04-2000